

T3S - R1W 2<sup>nd</sup> Mer.

				95		94		94			
6	90	5	91	4	92	3	92	2	94	1	69
90		91		91		92		93		94	
7	90	8	87	9	85	10	84	11	93	12	69
89		87-89		85-86		84-85		82-84		82	
18	89	17	86	16	84	15	83	14	82	13	69
88		87-88		85-86		84-95		83-95		81	
19	88	20	86	21	95	22	85	23	81	24	70
75		75		77-80		78-79		79-80		81	
30	74	29	76	28	76	27	78	26	80	25	70
73		74-77		75		77-78		79-80		80	
31	73	32	74	33	73	34	77	35	77	36	70
72		72-95		71-72		71-72		71-72		71-73	

T4S - R1W 2<sup>nd</sup> Mer.

				119		121					
6	121	5	119	4	123	3	120	2	122	1	97-118
120		119-121		119-121		118-122		118-122		118	
7	120	8	114	9	116	10	117	11	117	12	97
119		111-114		115		116		117		107	
18	114	17	111	16	115	15	116	14	107	13	97
113		111-113		110-111		108-109		107-108		102	
19	113	20	110	21	109	22	106	23	102	24	103-97
112		112		110		108-109		108		101	
30	112	29	110	28	109	27	106	26	101	25	103-98
105		104		104		123		106		101	
31	105	32	104	33	103	34	103	35	100	36	103-98
100		100		100		99		99		99	

Meandering 98.

97

Township N<sup>o</sup> 4. South of Range N<sup>o</sup> 1 West 2<sup>nd</sup> Mer.

East Boundary

South	E. Boundary Sec. 1. T. 4. S. R. 1. M.
1. 45	Birch 18 inches diam <sup>r</sup>
29. 50	Creek 150 links wide Course S. E. Graduate.
38. 50	Poplar 40 inches diam <sup>r</sup>
40. 00	Put temporary Quarter Sec. post.
58. 58	Brook 14 links wide Course E. rapid.
80. 00	Put temporary post. This mile hilly. Birch Poplar & Sugar-tree some Oak & Dogwood timber. Soil good.

South	E. Boundary of Sec. 12. T. 4. S. R. 1. M.
8. 76	B. Oak 14 inches diam <sup>r</sup>
37. 88	Birch 12 inches diam <sup>r</sup>
40. 00	Put temporary Quarter Sec. post.
52. 25	Brook 6 links wide Course E.
73. 40	Poplar 40 inches diam <sup>r</sup>
75. 50	Brook 8 links wide Course E.
80. 00	Put temporary post. This mile open ridges. good Soil. much limestone - timber - Birch Oak. Poplar some Sugar. Dogwood & Ironwood brush.

South	E. Boundary Sec. 13. T. 4. S. R. 1. M.
2. 94	W. Oak 18 inches diam <sup>r</sup>
18. 00	W. Oak 30. inches diam <sup>r</sup>
33. 60	B. Oak 30 inches diam <sup>r</sup>
38. 85	Poplar 30. inches diam <sup>r</sup>
40. 00	Put temporary Quarter Sec. post.
48. 75	Poplar 24 inches diam <sup>r</sup>
54. 68	W. Oak 16 in <sup>?</sup> diam <sup>r</sup>
78. 40	W. Oak 30. in <sup>?</sup> diam <sup>r</sup>
80. 00	Put temporary post This mile on dry ridge: thin soil - timber mostly Oak. some Poplar. & Dogwood.

South	E. Boundary Sec. 24. T. 4. S. R. 1. M.
13. 15.	W. Oak 24 inches diam <sup>r</sup>

T. No 4. S. R. No 1. M. 2<sup>nd</sup> Mar.

14. 00	Creek 40 links wide Course E.
21. 40	Sugar tree. 16. inches diam <sup>r</sup>
40. 00	Quarter Section temporary post.
43. 52	W. Oak 14 in? diam <sup>r</sup>
50. 00	Put Temporary post. This mile ridge land - timber Oak, Gum. Sugar. Poplar. Spice & Logwood brush
South	E. Boundary of Sec. 25. T. 4. S. R. 1. M.
15. 35	W. Oak 18 in? diam <sup>r</sup>
31. 24	W. Oak 16. inches diam <sup>r</sup>
40. 00	Quarter Sec. temporary post.
52. 50	W. Oak 16 in? diam <sup>r</sup>
75. 08	W. Oak 14 in? diam <sup>r</sup>
80. 00	Put temporary post. this mile ridge poor Oak. timbered. dry Stony. Logwood Oak & Hickory brush.
South	E. Boundary of Sec. 36. T. 4. S. R. 1. M.
12. 30	W. Oak 18 inches diam <sup>r</sup>
19. 00	W Oak 18 inches diam <sup>r</sup>
31. 40	W. Ash 18 inches diam <sup>r</sup>
40. 00	Put Temporary Quarter Sec. post.
73. 13	Bank of the Chic put Post Corner of Sec 36. T. 4. S. R. 1. M. & Sec. 31. T. 4. S. R. 1. M. A Mulberry 12 in? diam <sup>r</sup> S. 71. M. 12 & a W. Oak 12 inches diam <sup>r</sup> S. 70. E. 23. M. This distance poor Shrub Oak. rocky river hills. some Oak Hickory and Logwood. undergrowth many green briars
Course	Distance. S. M.
S. 40. M.	5. 50. 4. 21. 3. 53.
S. 33. M.	12. 55. 10. 35 6. 75
	14. 56. 10. 26. This Southing added to 73. 13. makes 87. 69. Southing to Rectors Base Line. & 40- 26. Westing from the East boundary of Range 1 M. to the Corner which Rector sat on the Bank of

the River. from this post I measure N. to establish the  
posts for J. 4. G. and run from Reclers post S. for J. 5. G.

West. From Reclers post on the Bank of the Chic. on his Base  
Line. G. Boundary of Sec. 36. J. 4. G. No. 1. W.  
10. 25 Brook 15 links wide Course G.  
15. 75 Reclers half mile post.  
29. 74 With the Measuring of the River, makes 40. from E. Boundary  
Put Quarter Sec. Corner A B. Oak 16 in? J. 54. E. 9. A  
B. Oak 22 in? diam? c 1. 20. E. 35. links.  
45. 00 Brook 6 links wide, Course G.  
55. 40 Reclers mile post.  
69. 74 Put post Corner of Sec? 35. & 36. J. 4. G. No. 1. W.  
A Sugar tree 15 in? diam? bears N. 42. Sugar 15 in?  
J. 22. W. 16 links This mile ridge land not steep-  
midling soil timber Oak. Beech. Sugar. &c.

West. G. Boundary of Sec. 35. & 36. J. 4. G. No. 1. W.  
25. 88 Reclers Quarter Sec. post.  
40. 00 Put Quarter Sec. Corner. for J. 4. G. No. 1. W. A Beech  
15 inches. N. 56. E. 29. A Beech 18 in? J. 64. W. 20 links  
65. 90 Reclers Sec. Corner on 4 mile post; he has marked  
no Sections on Quarter Sections.  
72 75 Brook 20 links wide Course G.  
80. 00 Put post Corner Sec? 34. & 35. J. 4 G. No. 1. W.  
A B. Oak 28 in? J. 78. E. 28. A Sugar 12 in? N. 4. W. 11 links

West South Boundary Sec. 34. J. 4. G. No. 1. W.  
25. 60 Reclers half mile post. marked Quarter Sec.  
40. 00 Put Quarter Sec. post A W. Oak 24 in? diam? bears  
N. 53. E. 31. A W. Oak 12 in? diam? J. 50. W. 9. links.  
43. 00 Brook 8 links wide, Course G. E.  
65. 05 Reclers mile post.  
81. 00 Put post Corner Sec? 33. 34. J. 4. G. No. 1. W.  
A B. Oak 24 in? bears N. 54. E. 51. B. Oak 24 in? J. 41. W. 53  
Oak Gum & some Beech timbered land



T. No 4. G. R. No 1. W. 2<sup>nd</sup> Mer.

West	G. Boundary Sec. 31. T. 4. G. R. 1. W.
17. 50	break 50 links wide Course G.
19. 00	Cil Creek 100 links wide. Course G. Trad Water.
23. 37	Rectors half mile post marked Quarter Sec.
40. 00	Put Quarter Sec. post for T. 4. G. R. 1. W. & N. W. Oak 12 in. G. 10. E. 20. W. Oak 12 in. c. 1. 9. E. 3.
62. 88	Rectors Town Corner from which Benton run South
79. 00	To Range line West Boundary of this R. 1. W. This mile midling timber Oak. hills quite stoney September 8 <sup>th</sup> .

West	G. Boundary of Sec. 33. T. 4. G. R. 1. W.
24. 50	Rectors half mile post marked Quarter Sec.
40. 00	Put Quarter Sec. post for T. 4. G. R. 1. W. & N. W. Ash 15 in. N. 58. E. 35. A W. Oak 12 in. diam. N. 84. W. 28
64. 00	Rectors mile post marked Sec.
80. 00	Put post Corner Sec. 32. 33. T. 4. G. R. 1. W. A Sugar 12 in. diam. G. 61. W. 6. Birch 9 in. N. 24. E. 17 links. This mile first part brush Oak ridge poor soil - last part Stoney ridge.

West	G. Boundary of Sec. 32. T. 4. G. R. 1. W.
23. 50	Rectors half mile post marked Quarter Sec.
40. 00	Put Quarter Sec. post. A Birch 12 in. diam. G. 52. W. 7. A B. Oak 14 in. diam. N. 19. E. 37.
63. 00	Rectors mile post.
80. 00	Put post Corner of Sec. 31. & 32. T. 3. G. R. 1. W. A Birch 13 in. N. 52. E. 6. A Sugar. 16 in. G. 2. W. 12. This mile poor rocky Shrub Oak hills. of the poorest kind. For the N. & W. boundaries, See boundaries of the Township N. & W.

## Subdivisions

North	Between Secs. 35. & 36. T. 4. G. R. 1. W.
1. 35	Poplar 40 inches diam.
27. 15	Poplar 30 inches diam.
40. 00	Put Quarter Sec. Corner A W. Oak 28 in. G. 85. E. 4. links A Birch 12 in. diam. G. 52. W. 29. 1/2

45. 00	Brook 25 links wide Course S. 70. W.
53. 48	B. Walnut 30 inches diam.
60. 30	W. Oak 30 in? diam.
75. 72	Poplar 16 in? diam.
80. 00	Put post Corner of Secs 25, 26, 35 & 36. T. 4. S. R. 1. W. A W. Oak 12 in? S. 59. W. 12. 6 Sugar 7 in? S. 45. E. 11. links This mile ridges middling soil timber Oak Sugar & Poplar.
East	Between Secs 25 & 26. T. 4. S. R. 1. W.
6. 75	Brook 8 links wide, Course S. E.
8. 30	W. Oak 24 in? diam.
24. 50	Brook 10 links wide, Course S. W.
26. 00	Brook 4 links wide, Course N. W.
40. 00	Put Quarter Sec. post a Birch 12 in? at 54 W. 12. a Sugar tree 14 in? S. 6. 9. E. 17. links.
75. 20	W. Oak 12 in? diam.
80. 00	Intersects E. boundary of this Range S. 80 links S. of temporary post Put Corner of Secs 25 & 36. T. 4 S. R. 1. W. a Sugar tree 12 in? at 70. W. 33. the Sugar tree. 8 in? diam. S. 25. E. 24. links This mile poor Oak and Hickory stoney hills. Dogwood Oak & Hickory brush
North	Between Secs 25 & 26. T. 4. S. R. 1. W.
5. 22	W. Oak 12 inches diam.
34. 13	W. Oak 12 inches diam.
40. 00	Quarter Sec post a Birch 10 in? diam. S. 26. W. 3. a Sugar. 7 inches diam. N. 26. E. 11. links
56. 72	W. Oak 24 in? diam.
68. 00	W. Oak 14 in? diam.
75. 20	W. Oak 12 in? diam.
80. 00	Put Post Corner of Secs 23. 24. 25. 26. T. 4 S. R. 1. W. a W. Oak 12 in? diam. S. 40. E. 9. a W. Oak 12 in? diam. at 33. W. 25. This mile poor stoney knolls, many gran briers. some Oak timber.
East	Between Secs 24. & 25. T. 4. S. R. 1. W.

T. No 4. S. R. No 1. W. 2<sup>nd</sup> Mer.

4. 72	B. Oak 24 in? diam?
27. 57	W. Oak 14. inches diam?
40. 60	Put Quarter Sec Corner @ W. Oak 12 in? diam? et. 53. N. 21. @ W. Oak 14 in? diam? S. 4. E. 33.
X	X X X X
56. 10	Intersects E. Boundary of this Range 8. 76. links S. of temporary post. Put post Corner of Sec? 24 & 25. T. 4. S. R. 1. W. @ W. Oak 16 in? diam? S. 27. E. 5. @ Chestnut Oak 20 in? diam? N. 25. W. 28. This mile on poor stoney ridges. Some W. & B. Oak. Hickory & Gum. Green briars. Dogwood & Hickory brush
North	Between Sec? 23. & 24. T. 4. S. R. 1. W.
15. 80	Gum 20 inches diam?
17. 50	Drain Course. E.
28. 90	W. Oak 24 in? diam?
37. 55	W. Oak 14 in? diam?
40. 60	Put Quarter Sec. in brushy thickets. no timber near for bearings
43. 55	W. Oak 16 inches diam?
80. 60	Put Post Corner of Sec? 13. & 14. 23. & 24. T. 4. S. R. 1. W. @ W. Oak 16 in? diam? N. 43. W. 22. @ W. Oak 15 inches diam? et. 65. E. 36. links dist. This mile poor stoney Oak ridges.
East	Between Sec? 13. & 24. T. 4. S. R. 1. W.
9. 25	W. Oak 16 in? diam?
46. 61	Put Quarter Sec. post. @ W. Oak. 14 in? S. 15. E. 22. @ W. Oak 22 in? diam? N. 9. E. 29. Nbs.
53. 44	Sugar-tree 14 in? diam?
57. 66	Drain 25 links wide, Course S. E.
62. 42	Gum 15 in? diam?
76. 00	Drain, Course S. 30. E.
86. 26	Intersects E. Boundary of this Range 8. 86. links S. of temporary post. Put post Corner of Sec? 13. & 24. T. 4. S. R. 1. W. @ Sugar 10 in? diam?

	N 55. W. 24. Sugar 12 in? N. 74. E. 24. This mile first half poor stoney land. remainder middling land Timber. Oak Elm Gum & Sugar.
	Put Quarter Sec post at the proper place on E boundary of Sec. 24. T. 4. S. R. 1. M. A W. Oak 14 in? S. 59. W. 24. A W. Oak 12 in? diam? S. 48. E. 32 lks.
	Moved Quarter Sec. post on E Boundary Sec. 25. T. 4. S. R. 1. M. at the proper place put Quarter Sec. A W. Oak 12 in? S. 69. W. 18. A Gum 12 in? S. 69. E. 32
	Moved Quarter Sec. temporary post on E. Boundary Sec. 36. to its proper place where a W. Oak 12 in? S. 19. N. 23. A W. Oak. 10 in? diam? N. 25. E. 18. Sept 9th
North	Between Sec? 34. & 35. T. 4. S. R. 1. M.
26. 14	W. Oak 26 in? diam?
27. 60	Brook 6 links wide, Course E.
36. 36	Sugar tree 26 in? diam?
40. 60	Quarter Sec post Sugar tree 14 in? diam? S. 4. E. 21. Hickory 14 in? diam? N. 20. W. 26. links.
41 68	W. Oak 24 in? diam?
49. 50	Brook 14 links wide, Course S. E.
54. 72	Beech 12 in? diam?
75. 60	Brook 10 links wide, Course S. M.
80. 60	Put post Corner Sec? 26. 27. 34. 35. T. 4. S. R. 1. M. A W. Oak 16 in? S. 72. E. 30. links. A W. Oak 18 in? N. 47. W. 21. This mile Beech & Oak & some Sugar tree timbered hills stoney soil.
North	Between Sec? 33 & 34. T. 4. S. R. 1. M.
13. 70	B. Oak 14 inches diam?
15. 70	W. Oak 12 in? diam?
30. 90	W Oak 14 in? diam?
40. 60	Put Quarter Sec. corner A Beech 18 in? S. 49. E. 43.

For line between Sec 27 & 34 which might have been investigated Sec 26 & 34



T. No 4. G. R. No 1. M. 2<sup>nd</sup> Mer

25 96	A B. Oak 13 in? diam? A. 77. N. 35. lks.
74. 18.	W Oak 20. in? diam?
56. 07	Intersects 5 links E. of temporary post. Put post Corner Sec? 27. 28. 33. 34. T. 4. G. R. 1. M.
	A W. Oak 18 in? diam? A. 51. E. 28. links A Poplar 15 in? diam? G. 49. W. 45. This mile pretty level Oak timbered land Some Gum Thin Soil. Sept. 9 <sup>th</sup> .
North	Between Sec? 32. & 33. T. 4. G. R. 1. M.
4. 75	W. Oak 24 in? diam?
15. 01	B. Oak 26 in? diam?
32. 12	B. Oak 28 in? diam?
46. 01	Put Quarter Sec. Corner A Beech 14 in? diam? G. 56. W. 30. A Elm 14 in? G. 89. E 24. links.
49. 40	W. Oak 16 in? diam?
86. 00	Put Post Corner Sec? 28. 29. 32. 33. T. 4. G. R. 1. M. A W. Oak 30 in? G. 78. W. 28. A W. Oak 14 in? N. 44. E. 40 links. This mile dry poor. Oak timbered ridges. Stony many green briars.
East	Random line between Sec? 28. & 33. T. 4. G. R. 1. M.
19. 00	Brook 8 links wide. Course N.
46. 00	Put temporary Quarter Sec. Corner.
86. 00	Intersects 42 lks S. of Sec. Corner. This mile ridge land. Thin soil. Timber Oak Beech Gum & Some Poplar Dogwood Undergrowth.
West	True line between Sec? 28. & 33. T. 4. G. R. 1. M.
46. 00	Put Quarter Sec. Post on true line. A Sugar tree 12 in? N. 78. W. 10. lks. A Beech 10 in? G. 45. E. 28. lks.
80. 00	Post Sec. Corner.
West	Between Sec? 29. & 32. T. 4. G. R. 1. M.
28. 56	Brook 60 links wide Course G. W.
35. 75.	Same Course N. W.

40. 00 Put Quarter Sec. post. A Sugar 12 in? G. 54. W. 22. links  
 A. Sugar tree 15 in? N. 21. E. 26. links  
 42. 50 Same Creek Course G. 30. W.  
 80. 00 Put temporary post. This mile poor rocky hills. Timber  
 Oak, Gum. Poplar. Hickory. Dogwood & Oak brush.

- North Between Secs. 31. & 32. T. 4. G. Co. 1. W.  
 8. 50 Creek 60 links wide, Course G. W.  
 21. 35 Birch 26 in? diam?  
 25. 00 Leaves Creek from N. to E. rocky.  
 31. 84 Birch 12 in? diam?  
 40. 00 Quarter Sec post A Birch 16 in? G. 36. W. 29. A Birch  
 12 in? diam? N. 40. E. 18 links. —  
 56. 76 B. Oak 30 in? diam?  
 63. 50 W. Oak 15 in? diam?  
 75. 60 W. Oak 12 in? diam?  
 80. 00 Intersects N. line E. of temporary post. Put post  
 Corner to Secs. 29. 30. 31. 32 T. 4. G. Co. 1. W. A Birch  
 12 in? N. 36. W. 24. A B. Oak 20 in? diam? G. 49.  
 E. 16. links. This mile Creek hills. Main Soil. Timber.  
 Birch. W. & B. Oak. Dogwood & Oak brush. Stony.

- West Between Secs. 30. & 31. T. 4. G. Co. 1. W.  
 10. 05 W. Oak 22 in? diam?  
 24. 64 W. Oak 24 in? diam?  
 38. 65 Birch 24 in? diam?  
 46. 00 Put Quarter Sec post A Birch 16 in? diam? N. 1. W. 9.  
 A Birch 12 in? G. 27. W. 34 links. —  
 46. 54 W. Oak 18 in? diam?  
 50. 00 Creek 16 links wide G.  
 60. 50 Oil Creek 1.30 links wide Course. G. 30. E.  
 61. 80 Sugar tree on bank of creek. 18 in? diam?  
 73. 50 W. Oak 12 in? diam?  
 79. 00 Intersects W. boundary 10. 50. G. of Bentons post.  
 Put post Corner Sec. 31. & 30. T. 4. G. Co. 1. W. A Birch  
 18 in? N. 72. E. 19. A Birch 16 in? diam? G. 44. W. 33 links.

T. No 4. S. R. No 1. W. 2<sup>nd</sup> Mer

	This mile first half poor rocky hills. last half mostly bottom. Timber Birch & Sugar. hill timber Oak & Birch	
West	Between Secs 26. & 35. T. 4. S. R. 1. W. Random.	
40. 00	Put temporary Quarter Sec. post.	
64. 00	Brook 10 links wide, Course S. W.	
73. 00	Brook 6 lks. wide, Course S.	
80. 20	N. & S. line 20 links N. of post This mile poor Stony Oak & Birch ridges.	
East	On true line between Secs 26. & 35. T. 4. S. R. 1. W.	
40. 10	Put Quarter Sec. post A W. Oak 26 in? S 73. E. 23. lks	
	A W. Oak 12 in? diam? N. 67. W. 26 links	
80. 20	To Sec. corner	
North	Between Secs 26. & 27. T. 4. S. R. 1. W.	
30. 58	W. Oak 16 in? diam?	
40. 00	Quarter Sec. post A W. Oak 15 in? diam? bears S. 68.	
	& W. 14 links A W. Oak 12 in? diam? bears N. 10. E. 26.	
62. 56	W. Oak 20 in? diam?	
68. 92	W. Oak 12 in? diam?	
80. 00	Put post Corner Secs 22. 23. 26. 27. T. 4. S. R. 1. W.	
	A W. Oak 16 in? diam? bears N. 74 E. 25 links A Birch	
	14 in? diam? bears S. 63. W. 15 lks.	
	This mile poor Oak timber, ridges some Dogwood and many Stones.	
North	Between Secs 22. & 23. T. 4. S. R. 1. W.	
17. 35	B. Oak 18 ins diam?	
32. 72	B. Oak 18 in? diam?	
40. 00	Put Quarter Sec. post. A Poplar 24 in? diam?	
	bears N. 61. E. 51. A Poplar 18 in? diam? S. 42 W. 56.	
45 22	Gum 14 in? diam?	
61. 50	B. Oak 18 in? diam?	
73 00	W. Oak 22 in? diam?	
80. 00	Put Corner Secs 14. 15. 22. 23. T. 4. S. R. 1. W.	

	A Hickory 22 in? diam <sup>r</sup> bears N. 22. E. 32. links A W. Oak 14 in? diam <sup>r</sup> bears S. 66. W. 46. links This mile poor Stony Oak ridges Sassafras & green briars.
East	Random line between Sec. 14. & 23. T. 4. S. R. 1. W.
26. 00	Brook 8 links wide, Course N. E.
32. 50	Same run, Course E.
35. 00	Run goes, N. E.
40. 00	Temporary Quarter Sec. post.
80. 00	Intersects 32, links N. of Sec. Corner - This mile poor brushy & Stony. Oak timbered & ridges.
North	Between Sec. 13. & 14. T. 4. S. R. 1. W.
9. 95	Sugar tree 12 in? diam <sup>r</sup>
17. 50	Brook 10 links wide, Course E.
20. 75	Brook 10 links wide, Course E.
36. 26	W. Oak 12 in? diam <sup>r</sup>
40. 00	Quarter Sec Corner. A W. Oak. 15. in? diam <sup>r</sup> bears N. 52. W. 8. A W. Oak 12 in? diam <sup>r</sup> S. 52. E. 17. links.
60. 05	W. Oak 18 in? diam <sup>r</sup>
80. 00	Put Post Corner to Sec. 11. 12. 13. 14. T. 4. S. R. 1. W. A W. Oak 16 in? diam <sup>r</sup> bears S. 32 W. 30. links. A W. Oak 16 in? diam <sup>r</sup> bears N. 21. E. 36. links. This mile poor Oak timbered ridges. - Stony - Dogwood. &c.
East	Random between Sec. 12. & 13. T. 4. S. R. 1. W.
7. 18	W. Ash 14 in? diam <sup>r</sup>
16. 22	W. Ash 18 in? diam <sup>r</sup>
30. 60	W. Oak 20 in? diam <sup>r</sup>
40. 00	Quarter Sec. A W. Oak 24. in? diam <sup>r</sup> bears S. 12. E. 33. W. Elm 12 in? diam <sup>r</sup> bears N. 8. E. 38. links.
49. 25	W. Oak 12 in? diam <sup>r</sup>
59. 70	B. Oak 36 in? diam <sup>r</sup>
80. 20	Intersects E. boundary of this Range. S. 80 links S. put post Corner Sec. 12. & 13. T. 4. S. R. 1. W. A W. Ash 18 in? diam <sup>r</sup> bears North. 29. W. 6 links -



T. 4. S. R. 1. N. 2<sup>nd</sup> Mer

	at Beech 26 in <sup>s</sup> diam <sup>r</sup> . bears G. 7. W. 39. This mile ridge Oak timber last half midling soil. some beech first half poor & rocky.
	Put Quarter Sec. on E Boundary of Sec. 12. T. 4. S. R. 1. N. at B. Oak 18 in <sup>s</sup> diam <sup>r</sup> . bears A. 20. W. 48. at W. Oak 12 in <sup>s</sup> diam <sup>r</sup> . bears S. 33. E. 8 links Put Quarter Sec. post on E Boundary Sec. 13. T. 4. S. R. 1. N. at W. Oak 15 in <sup>s</sup> diam <sup>r</sup> . bears S. 23. W. 40. at Beech 14 in <sup>s</sup> diam <sup>r</sup> . bears A. 52. W. 55. lks.
West 40. 00	True line between Secs. 14 & 23. T. 4. S. R. 1. N. Put Quarter Sec. post at Sugar tree 20 in <sup>s</sup> diam <sup>r</sup> . bears S. 39. W. 15 lks. Blue Beech 10 in <sup>s</sup> diam <sup>r</sup> . A. 36. E. 12.
West 40. 00 44. 50 50. 00	Random line between Secs. 15 & 22. T. 4. S. R. 1. N. Put Temporary Quarter Sec. post Brook & links wide, Course S. W. Put Temporary post - This mile high ridges. Timber W. & B. Oak. Some Hickory Poplar Dogwood green briers. poor stoney soil.
East 40. 00 50. 40	Between Secs. 23 & 26. T. 4. S. R. 1. N. Put Temporary Quarter Sec. post. Intersects A. & S. line at Sec. Corner. This mile poor stoney Oak timbered ridge some Dogwood Sassafras & Briers.
West 40. 20	True line between Secs. 23 & 26. T. 4. S. R. 1. N. Put Quarter Sec. post on true line. A W. Oak 7 in <sup>s</sup> diam <sup>r</sup> . bears A. 48. W. 18. A W. Oak 7 in <sup>s</sup> diam <sup>r</sup> . S. 3. E. 6.
West 40. 00 63. 50 80. 00	Random line between Secs. 22 & 27. T. 4. S. R. 1. N. Put Temporary Quarter Sec. post. Brook & links wide, Course S. W. rocky Put Temporary post. This mile poor stoney. Oak timber

ridges Some Dogwood &amp; Green Briars.

North Between Sec<sup>s</sup> 27. & 28 T. 4. S. R. 1. M.  
 20. 90 W. Oak 12 in<sup>s</sup> diam<sup>r</sup>  
 32 32 W. Oak 16 in<sup>s</sup> diam<sup>r</sup>  
 40. 00 Quarter Sec. post. A W. Oak 14 in<sup>s</sup> diam<sup>r</sup> bears S. 80  
 E. 48. M. A W. Oak 30 in<sup>s</sup> diam<sup>r</sup> bears S. 70. N. 72. lbs.  
 60. 80 Brook 16 in<sup>s</sup> diam<sup>r</sup>  
 72. 50 Brook 16 links wide, course S. W.  
 79. 00 W. Oak 16 in<sup>s</sup> diam<sup>r</sup>  
 80. 00 Intersects N. & S. line. 14 links W. of post Put post  
 Corner Sec<sup>s</sup> 21. 22. 27. 28. T. 3. S. R. 1. M. A W. Oak  
 22 in<sup>s</sup> diam<sup>r</sup> bears S. 49. E. 38. A W. Oak 16 in<sup>s</sup> bears N.  
 38. W. 16 links This mile from Stony Oak timber ridge

East True line between Sec<sup>s</sup> 22. & 27. T. 4. S. R. 1. M.  
 40. 67 Quarter Sec post. A W. Oak 18 in<sup>s</sup> diam<sup>r</sup> bears N. 68.  
 E. 23. links. A W. Oak 12 in<sup>s</sup> diam<sup>r</sup> bears S. 28. N. 18.  
 80. 14 Section corner.

North Between Sec<sup>s</sup> 21. & 22. T. 4. S. R. 1. M.  
 14. 52 A W. Oak 12 in<sup>s</sup> diam<sup>r</sup>  
 31. 94 W. Oak 16 in<sup>s</sup> diam<sup>r</sup>  
 40. 00 Put Quarter Sec. post. A Gum 12 in<sup>s</sup> diam<sup>r</sup> bears  
 S. 83. E. 31. A W. Oak 12 in<sup>s</sup> diam<sup>r</sup> bears S. 4. N. 30.  
 47. 75 W. Oak 14 in<sup>s</sup> diam<sup>r</sup>  
 59. 46 W. Oak 16 in<sup>s</sup> diam<sup>r</sup>  
 80. 00 Intersects N. & S. 20 links W. of temporary post.  
 Put Corner to Sec<sup>s</sup> 15. 16. 21. 22. T. 4. S. R. 1. M.  
 A Sugar tree 12. N. 36. W. 19. A W. Oak 22 in<sup>s</sup>  
 diam<sup>r</sup> bears S. 31. N. 60. This mile from Stony Oak timber  
 ridge

East True line between Sec<sup>s</sup> 15. & 22. T. 4. S. R. 1. M.  
 40. 10 Put Quarter Sec corner on true line. A W. Oak 16 in<sup>s</sup>  
 diam<sup>r</sup> bears N. 63. E. 33. A W. Oak 16 in<sup>s</sup> S. 12. N. 13.

T. 4. S. R. 1. W. 2<sup>nd</sup> Mer

86. 26	Section Corner.
West	Random line between Sec? 16. & 21. T. 4. S. R. 1. W.
40. 66	Put Temporary Quarter Sec. post
86. 56	Drain Course S. 36. W.
86. 66	Put Temporary post. This mile poor rocky & Stony Oak ridges. Dogwood & Sapapas Undergrowth.
West	Random line between Sec? 21. & 28. T. 4. S. R. 1. W.
33. 66	Brook 16 links wide, Course S.
46. 66	Put Temporary Quarter Sec. post.
56. 66	Put Temporary post. This mile poor Stony. Oak timbered ridges. some Dogwood & Sapapas. brush.
North	Between Sec? 28. & 29. T. 4. S. R. 1. W.
7. 66	W. Oak 16 in? diam?
17. 50	Brook 26 lks wide, Course W.
37. 85	Birch 16 in? diam?
40. 66	Put Quarter Sec. post - A Birch 16 in? diam? bears S. 26. E. 16. A W. Oak 16 in? diam? N. 65. W. 42. lks.
56. 14	W. Oak 24 in? diam?
76. 20	A. Oak 22 in? diam?
86. 66	Intersects 36 links S. & 28 W. of temporary post. Put Corner Sec? 26. 21. 28. 29. T. 4. S. R. 1. W. A W. Oak 12 in? diam? bears N. 2. E. 14. A W. Oak 14 in? diam? bears S. 6. W. 33 links. Over poor Stony Oak timbered hills.
East	True line between Sec? 21. & 28. T. 4. S. R. 1. W.
46. 12	Put Quarter Sec post on true line A W. Oak 16 in? diam? bears N. 8.1 E. 13. A W. Oak 14 in? diam? S. 36. W. 46.
80. 25	To Section Corner.
North	Between Sec? 20. & 21. T. 4. S. R. 1. W.
16. 16	Hickory 30 in? diam?
30. 25	W. Oak 14 in? diam?

T. No 4. S. R. No 1. W. 2<sup>nd</sup> Mer.

40. 00	Put Quarter Sec post. A W. Oak 14 in? diam <sup>r</sup> brass G. 77. E. 29. links. A W. Oak 10 in? diam <sup>r</sup> . N. 40. W. 41/2
52. 94	Hickory 16 inches diam <sup>r</sup>
60. 50	Brook 15 links wide, Course S. 70. W.
80. 00	Intersects 8 links G. & 30. W. of temporary post. put Post Corner to Sec <sup>s</sup> 16. 17. 20. 21. T. 4. S. R. 1. W. A W. Oak 14 in? diam <sup>r</sup> brass N. 2. W. 15. A W. Oak 15 in? diam <sup>r</sup> brass G. 12. W. 32 links. This mile poor Stony Oak timber & ridges.
East	True line between Sec <sup>s</sup> 16. & 21. T. 4. S. R. 1. W.
40. 15	Put Quarter Sec. A W. Oak 12 in? diam <sup>r</sup> brass G. 63. E. 27. links. Birch 12 in? diam <sup>r</sup> brass. N. 11. W. 19. links.
80. 30	Section Corner. Sept. 28. <sup>th</sup> 18. 66.
North	Between Sec <sup>s</sup> 16. & 17. T. 4. S. R. 1. W.
33. 46	Gum 12 in? diam <sup>r</sup>
36. 50	W. Ash 14 inches diam <sup>r</sup>
40. 00	Quarter Sec. post. A B. Oak 8 in? diam <sup>r</sup> brass G. 89. E. 8. links. A W. Oak 9. in? diam <sup>r</sup> brass N. 22. W. 21.
48. 38	B. Oak 24 in? diam <sup>r</sup>
69. 00	Brook 6 links wide, Course G. W.
69. 50	W. Ash 18 in? diam <sup>r</sup>
80. 00	Put Post Corner to Sec <sup>s</sup> 8. 9. 16. 17. T. 4. S. R. 1. W. A Gum 14 in? N. 41. E. 17. A Hickory 9. in? N. 50 W. 16 1/2 This mile poor brushy Stony Oak timber & ridges.
West	Random line between Sec <sup>s</sup> 8. & 17. T. 4. S. R. 1. W.
28. 50	Creek 20 links wide, Course G.
40. 00	Temporary Quarter Sec. Corner.
80. 00	Put Temporary post. This mile first half. poor brushy Stony hills. last half ridge mudding Soil. Timber. Oak. Poplar. Birch Sugar. Ash &c.
West	Random line between Sec <sup>s</sup> 17. & 20. T. 4. S. R. 1. W.
33. 50	Brook 6 links wide, Course E. G. W.



T. No 4. G. Co. No 1. W. 2<sup>nd</sup> Mer.

40.00	Put Temporary Quarter Sec. Post
80.00	Put temporary post This mile poor brushy Stony hills. Timber Oak Birch some shrub. Sugar tree Dogwood Birch & Oak brush.
West	Random line between Secs 20. & 29. T. 4. G. Co. 1. W.
18.50	Brook 5 links wide. Course S.
40.00	Put Temporary Quarter Sec. Post
80.00	Put Temporary post. This mile Oak timbered ridge. thin Soil Dogwood Oak. Gaspas brush. Stony last half midling Soil.
North	Between Secs 29. & 30. T. 4. G. Co. 1. W.
11.58	W. Oak 14. in. diam.
18.40	W. Oak 13. in. diam.
40.00	Put Quarter Sec. Post. A W. Oak 12 in. diam. bears N. 85. E. 14. links. A W. Oak 15 in. diam. N. 50. W. 36.
50.30	Birch 14. in. diam.
58.68	W. Oak 14. in. diam.
64.12	B. Oak 30. in. diam.
80.00	Intersects 30 N. & 16. W. of post. Put post corner to Secs 19. 20. 29. 30. T. 4. G. Co. 1. W. A W. Ash 12 in. diam. bears S. 25. E. 38 links. A W. Ash 14 in. diam. bears S. 42. W. 23. links This mile poor Oak ridges Stony Brush & briars.
East	True line between Secs 20. & 29. T. 4. G. Co. 1. W.
40.08	Put Quarter Sec Post A W. Oak 14 in. diam. bears N. 60. E. 14. links A W. Oak 12 in. diam. S. 85. W. 32.
80.16	Sec. corner.
West	Between Secs 19. & 30. T. 4. G. Co. 1. W.
18.10	B. Oak 28 in. diam.
40.00	Put Quarter Sec. Post. An Elm 10 in. diam. bears S. 52. E. 25. A Sugar tree 10 in. diam. N. 25. W. 28. links
46.50	W. Oak 24 in. diam.

56. 56	Brook 15 links wide Course G. M.
62. 96	M. Oak 14 in <sup>2</sup> diam <sup>r</sup>
69. 12	M. Oak 15 inches diam <sup>r</sup>
80. 10	Intersects M. Boundary of this Range 10. 56 lbs. G. of Benton Post Put Post Corner to Sec <sup>3</sup> 19. & 30. T. 4. G. R. 1. M. A M. Oak 12 in <sup>2</sup> diam <sup>r</sup> bears N. 11. W. 33. links. A Beech 14 in <sup>2</sup> diam <sup>r</sup> bears G. 73. E. 55. links This mile spur broken brushy & Stoney Oak timbered hills.
North	Between Sec <sup>3</sup> 19. & 20. T. 4. G. R. 1. M.
15. 75	M. Oak 12 in <sup>2</sup> diam <sup>r</sup>
26. 75	M. Oak 20 in <sup>2</sup> diam <sup>r</sup>
40. 61	Put Quarter Sec. post A M. Oak 26 in <sup>2</sup> diam <sup>r</sup> bears N. 25. W. 17. links A M. Oak 12 in <sup>2</sup> diam <sup>r</sup> bears G. 21. E. 36. lbs.
42. 61	B. Oak 18 inches diam <sup>r</sup>
67. 70	Sugar tree 12 in <sup>2</sup> diam <sup>r</sup>
76. 25	Brook 21 links wide Course M.
86. 61	Intersects E. & W. line 37. links N. of Temporary post at a Beech 12 in <sup>2</sup> diam <sup>r</sup> Sec Corner for Sec <sup>3</sup> 17. 18. 19 20. T. 4. G. R. 1. M. This mile spur Stoney Oak timbered ridges Logwood & Oak Undergrowth.
East	True line between Sec <sup>3</sup> 17. & 20. T. 4. G. R. 1. M.
40. 18	Quarter Sec. corner where a M. Oak 20 in <sup>2</sup> diam <sup>r</sup> bears N. 86. E. 43. links A Beech 12 in <sup>2</sup> diam <sup>r</sup> G. 65 M. 18 lbs
50. 37.	Sec. corner.
West	Between Sec <sup>3</sup> 18. & 19. T. 4. G. R. 1. M.
4. 46	M. Oak 24 in <sup>2</sup> diam <sup>r</sup>
10. 60	Brook 25 links wide Course N. 70. M.
15. 74.	M. Oak 16 in <sup>2</sup> diam <sup>r</sup>
33. 62	B. Oak 16 in <sup>2</sup> diam <sup>r</sup> many ledges.
41. 61	Put Quarter Sec. post A Beech 12 in <sup>2</sup> diam <sup>r</sup> bears N. 41. M. 27. Sugar tree 9 in <sup>2</sup> diam <sup>r</sup> bears G. 33. E. 9. links
40. 30	Brook 12 links wide Course E. & W.
43. 33	Sugar tree 16 in <sup>2</sup> diam <sup>r</sup>

T. & H. G. Co. No. 1. W. 2<sup>nd</sup> Mer.

67.82	Beech 12 in <sup>d</sup> diameter
80.26	Intersects. N. Boundary of this Range 16.75 lks. S. of Benton's post. Put post Corner Gre. 18. & 19. T. & H. G. Co. No. 1. W. A Beech 14 in <sup>d</sup> diam <sup>r</sup> . bears G. 40 E. 42. links. A Beech 16 in <sup>d</sup> diam <sup>r</sup> . bears N. 15. E. 53. lks. This mile poor stoney points of hills. Trading N. Timber Oak. Beech. some Sugar. &c.
North	Between Gre. 17. & 18. T. & H. G. Co. No. 1. W.
16.06	W. Oak 16 in <sup>d</sup> diam <sup>r</sup> .
24.00	Creek 30 links wide. Course S. W.
29.52	Sugar tree 24 in <sup>d</sup> diam <sup>r</sup> .
40.00	Quarter Gre. post A Poplar 18 in <sup>d</sup> diam <sup>r</sup> . bears G. 4. W. 31. lks. A Sugar 12 in <sup>d</sup> diam <sup>r</sup> . bears N. 43. E. 50.
42.16	Beech 20 in <sup>d</sup> diam <sup>r</sup> .
55.00	Rocky Drain. Course S. E.
57.84	N. Oak 16 in <sup>d</sup> diam <sup>r</sup> .
71.70	N. Oak 16 in <sup>d</sup> diam <sup>r</sup> .
80.00	Intersects E. of W. line 30 N. & 15 W. of Temporary post. Put post Corner to Gre. 7. 8. 17. 18. T. & H. G. Co. No. 1. W. A Poplar 36 in <sup>d</sup> diam <sup>r</sup> . bears G. 33. E. 8. lks. A Beech 12 in <sup>d</sup> diam <sup>r</sup> . bears N. 23. W. 34 links. This mile first three quarters. poor stoney ridges thin good ridge land. Timber Oak Beech Spruce Poplar Dogwood &c.
East	True line between Gre. 8. & 17. T. & H. G. Co. No. 1. W.
40.01	Put Quarter Gre. Corner A W. Oak 12 in <sup>d</sup> diam <sup>r</sup> . bears N. 41. W. 3. A Mulberry 14 in <sup>d</sup> diam <sup>r</sup> . S. 6. 3. E. 28.
80.15	Section Corner.
North	Between Gre. 8 & 9. T. & H. G. Co. No. 1. W.
11.50	Gum 16 in <sup>d</sup> diam <sup>r</sup> .
33.00	B. Oak 30 in <sup>d</sup> diam <sup>r</sup> .
40.00	N. Oak 20 in <sup>d</sup> diam <sup>r</sup> . Quarter Gre. Corner marked by poplar
45.65	N. Oak 24 in <sup>d</sup> diam <sup>r</sup> .

T. No 4. S. Co. No 1. W. 2<sup>nd</sup> Mer.

72. 80	Gum 18 inches diam.
78. 50	Brook 10 links wide Course N.
80. 00	Put post corner to Sec. 4. 5. 8. 9. T. 4. S. Co. 1. N. A W. Oak 12 in. diam. bears S. 72. E. 5. links. A W. Oak 16 in. diam. bears N. 19. W. 35. This mile poor Oak timber stony ridges. Dogwood undergrowth.
East	Random line between Sec. 9. & 10. T. 4. S. Co. 1. N.
7. 00	Brook 20 links wide, Course S. W.
11. 75	Brook 8 links wide, Course N. W.
40. 00	Put Temporary Quarter Sec. post
56. 75	Brook 8 links wide, Course N. W.
80. 00	Put Temporary post This mile poor Stony ridges Timber Oak. Gum. Beech Dogwood &c.
North	Between Sec. 15. & 16. T. 4. S. Co. 1. N.
6. 00	B. Oak 24 in. diam.
20. 80	B. Oak 24 in. diam.
29. 22	W. Oak 16 in. diam.
40. 00	Put Quarter Sec. post. A Poplar 24 in. diam. bears S. 42. W. 30. A W. Oak 16 in. diam. N. 18. W. 53.
49. 58	W. Ash 18 in. diam.
54. 40	Chestnut 18 in. diam.
57. 00	Spring, Course N. W.
73. 40	Chestnut 18 in. diam.
80. 00	Intersects 30 N. & 20 E of temporary post. Put Corner of Sec. 9. 10. 15. 16. T. 4. S. Co. 1. N. A Beech 12 in. diam. bears S. 46. W. 39. A Chestnut 30 in. diam. bears N. 51. E. 49. This mile on high dividing ridge Timber Oak. Chestnut Ash. Poplar Gum. &c. midling Soil.
West	True line between Sec. 9. & 16. T. 4. S. Co. 1. N.
40. 10	Quarter Sec. corner A W. Ash 16 in. diam. bears S. 69. E. 17. N. A Gum 16 in. diam. bears N. 05. W. 37. links
80. 20	Sec. corner

Apr 3 74

M. J. J. J.



J. No 4. S. Co. N<sup>o</sup> 1. W 2<sup>nd</sup> Mer.

North Between Secs. 9. & 10. J. 4. S. Co. 1. W.

13. 00 B. Oak 40 in. diam.<sup>n</sup>

26. 40 W. Oak 28 in. diam.<sup>n</sup>

39. 25 W. Oak 24 in. diam.<sup>n</sup>

40. 00 Put Quarter Sec. post. A Poplar 40 in. diam.<sup>n</sup> bears S. 12. W. 56. lbs. A Hickory 20 in. diam.<sup>n</sup> bears N. 51. E. 38.

38. 94 W. Oak 12 in. diam.<sup>n</sup>

76. 25 Brook 8 links wide, Course E.

80. 00 Put post Corner to Secs. 3. 4. 9. 10. J. 4. S. Co. 1. W.

A W. Oak 12 in. diam.<sup>n</sup> bears N. 56. W. 22 lbs. A W. Oak 10 in. diam.<sup>n</sup> bears S. 42. E. 5. lbs. This mile Oak timbered ridges: thin Scib. Gypsifras. & Dogwood undergrowth.

East Between Secs. 10. & 15. J. 4. S. Co. 1. W. Random.

40. 00 Put temporary Quarter Sec. post

80. 00 Put temporary post this mile on a dividing ridge

Timber W. & B. Oak. & Chesnut. Dogwood & Gypsifras

brush. poor Stony land.

North Between Secs. 14. & 15. J. 4. S. Co. 1. W.

15. 02 Gum 14 in. diam.<sup>n</sup>

24 76 B. Oak 18 in. diam.<sup>n</sup>

35. 75 Chesnut 30 in. diam.<sup>n</sup>

40. 00 Quarter Sec Corner A W. Oak 14. S. 84. W. 4. lbs

A W. Oak 12 in. diam.<sup>n</sup> bears S. 82. E. 42. links.

53. 76 Hickory 30 in. diam.<sup>n</sup>

66. 72 W. Oak 30 in. diam.<sup>n</sup>

77. 80 W. Oak 12 in. diam.<sup>n</sup>

86. 00 Intersects 18 N. & 30 W. of temporary post. Put

Corner of Secs. 10. 11. 14. 15. J. 4. S. Co. 1. W. A W. Oak

16 in. diam.<sup>n</sup> bears S. 45. W. 17. lbs. A W. Oak 14 in.

diam.<sup>n</sup> bears N. 66. E. 16 links. This mile poor Stony

Oak timbered hills. Dogwood undergrowth.

West True line between Secs. 10. & 15. J. 4. S. Co. 1. W.

39. 85 Put Quarter Sec. post A Gum 12 in. diam.<sup>n</sup> bears S. 78.

J. No 4. S. No. 1. N. 2<sup>nd</sup> Mer.

79 70	N. 38 links. A Mr. Oak 15 in? diam <sup>r</sup> bears N. 45. E. 29. lks. Sec. Corner.
North	Between Sec <sup>s</sup> 10. & 11. J. 4. S. No. 1. N.
5. 60	B. Oak 24 in? diam <sup>r</sup>
22. 16	Mr. Oak 20 in? diam <sup>r</sup>
40. 00	Quarter Sec. post. A Mr. Oak 30 in? diam <sup>r</sup> bears S. 39. E. 30. links. A Mr. Oak 12 in? diam <sup>r</sup> bears N. 29. W. 18. lks
45 78	Mr. Oak 18 in? diam <sup>r</sup>
56. 72	Mr. Oak 12 in? diam <sup>r</sup>
71. 06	Mr. Oak 14 in? diam <sup>r</sup>
80. 00	Put post Corner of Sec <sup>s</sup> 2. 3. 10. 11. J. 4 S. No. 1. N. A Mr. Oak 12 in? diam <sup>r</sup> bears S. 24. E. 14. lks. A Mr. Oak 16 in? diam <sup>r</sup> bears N. 38. W. 19. links. This mile poor Stony Oak timbered ridges. Dogwood and Gaspars undergrowth. very poor land.
East	Random line between Sec <sup>s</sup> 11. & 14. J. 4. S. No. 1. N.
39. 00	Brook 8 links wide, Course S. Rocky.
40. 00	Put temporary Quarter Sec. post.
74 75	Brook 6. lks. wide, Course S.
80. 16	Intersects N. & S. line 15 S. of post. This mile poor Stony Oak timbered hills very poor soil.
West	True line between Sec <sup>s</sup> 11. & 14. J. 4. S. No. 1. N.
40. 08	Put Quarter Sec post A Mr. Oak 16 in? diam <sup>r</sup> bears S. 8. W. 38 links. A Gum 14 in? diam <sup>r</sup> bears N. 60. W. 38. lks
80. 16	Section Corner.
North	Between Sec <sup>s</sup> 11. & 12. J. 4. S. No. 1. N.
9. 65	Mr. Oak 12, in? diam <sup>r</sup>
38. 25	Gum, 16, in? diam <sup>r</sup>
40. 00	Put Quarter Sec. post. A Mr. Oak 12 in? diam <sup>r</sup> bears S. 18. E. 5 links. A Mr. Oak 14 in? diam <sup>r</sup> N. 3. W. 30. lks
50. 00	Mr. Oak 14 in? diam <sup>r</sup>
57. 18	Beech 14 in? diam <sup>r</sup>

T. No 4. S. Co. No 1. W. 2<sup>nd</sup> Mer.

67. 25	Brook 6 links wide Course E.
70. 02	Beech 12 in <sup>d</sup> diam <sup>r</sup> .
80. 00	Put Post Corner to Secs 1. 2. 11. 12. A. B. Oak 30 in <sup>d</sup> diam <sup>r</sup> . S. 7. E. 39. A W. Oak. 12 in <sup>d</sup> diam <sup>r</sup> . N. 4. 5. W 34 This mile poor Oak timbered & Stony ridges
East	Between Secs. 1. & 12. T. 4 S. Co. 1. W.
19. 70	Beech 30 in <sup>d</sup> diam <sup>r</sup> .
24. 00	Brook 20, links wide, Course N.
29. 10	Poplar 30 in <sup>d</sup> diam <sup>r</sup> .
38. 68	W. Oak 18 in <sup>d</sup> diam <sup>r</sup> .
40. 00	Quarter Sec. post A W. Oak, 14. in <sup>d</sup> diam <sup>r</sup> . S. 71. E. 12. A Beech 10 in <sup>d</sup> diam <sup>r</sup> . bears S. 50. W. 15. links.
48. 32	W. Oak 15 in <sup>d</sup> diam <sup>r</sup> .
59. 86	Sugar tree 16 in <sup>d</sup> diam <sup>r</sup> .
78. 70	Poplar 24 in <sup>d</sup> diam <sup>r</sup> .
79. 90	Intersects E. boundary of this 8.60 lbs. S. of 1 mile post Put post Corner of Secs 1. & 12. T. 4. S. Co. 1. W. A B. Oak 30 in <sup>d</sup> diam <sup>r</sup> . S. 24. E. 10 links. A B. Oak 18 in <sup>d</sup> diam <sup>r</sup> . bears N. 34. W. 54. This mile high ridges Timber. Oak. Beech poplar. Sugar. & c muddling Soil Stony
	Put Quarter Sec. post on E. Boundary Sec. 1. T. 4. S. Co. 1. W. A Beech. 15 in <sup>d</sup> diam <sup>r</sup> . S. 10. W. 29. lbs. A Beech 14 in <sup>d</sup> diam <sup>r</sup> . bears N. 53. W. 48. links
West	Random line between Secs 2. & 11. T. 4. S. Co. 1. W.
40. 00	Put temporary Quarter Sec. post
80. 00	Intersects N. & S. line 25 links N. of Sec. Corner This mile poor Stony Oak timbered hills Dogwood & Oak brush
West	Random between Secs 3. & 10. T. 4. S. Co. 1. W.
4. 25	Brook 12 links wide, Course N.
40. 00	Put temporary Quarter Sec post.
49. 00	Brook 14 links wide, Course North E.
79. 80	Intersects N. & S. line 25 lbs N. of Sec. Corner.

J. No 4. T. R. No 1. W. 2<sup>nd</sup>. Mer.

119

	This mile poor stoney broken ridges. Timber W. Oak & Dogwood
West	Random line between Sec. 4 & 9. T. 4. S. R. 1. W.
40. 00	Put temporary Quarter Sec. post.
50. 24	Intersects N. & S. line at post. This mile over high dividing ridge poor stoney broken soil. Timber W. & B. Oak Hickory &c. Sept: 30 <sup>th</sup> . 18. 05.
North	Between Sec. 4. & 5. T. 4. S. R. 1. W.
10. 45	W. Oak 18 in. diam.
19. 25	B. Oak 28 in. diam.
35. 84	B. Oak 24 in. diam.
40. 00	Put Quarter Sec. post A W. Oak 20 in. diam. N. 6. W. 31. link a B. Oak 30 in. diam. bears S. 15. W. 66 links
48. 20	B. Oak 24 in. diam.
76. 32	B. Oak 30 in. diam.
89. 64	Intersects N. Boundary of this Town 100 links N. of Sec. corner for Sec. 5. Put post corner of Sec. 4. & 5. T. 4. S. R. 1. W. a W. Oak 30 in. diam. bears S. 29. E. 20. links. a W. Oak 14 in. diam. S. 83. W. 27. links. This mile on high Oak timber & land thin soil Dogwood & Underg.
	Put Quarter Sec. post on N. boundary of Sec. 5. T. 4. S. R. 1. W. 100 links N. of Quarter Sec. post S. boundary Sec. 31. T. 3. S. R. 1. W. a Gum 12 in. diam. N. 85. E. 7. links a W. Oak 16 in. diam. bears N. 83 W. 44 links October 1 <sup>st</sup> . 18. 05.
West	Between Sec. 5. & 8. T. 4. S. R. 1. W. Random
9. 00	Brook 3 links wide Course S.
40. 00	Put Temporary Quarter Sec. post
77. 00	Brook 10 links wide Course N. W.
80. 00	Put temporary post - This mile ridge land. middling Soil - Timber, Oak, Birch, Sugar. Ash &c.
West	Between Sec. 7. & 18. T. 4. S. R. 1. W.
7. 58	W. Oak 24 in. diam.



T. No 4. S. Co. No W. 2<sup>nd</sup> Mer.

21. 10	Sugar tree 18 in? diam <sup>r</sup>
37. 30	W. Oak 24 in? diam <sup>r</sup>
40. 00	Brook 20 links wide Course S. M. Quarter Section Corner in Brook. A Birch 12 in? diam <sup>r</sup> bears N. 7. E. 26 links. A Birch 12 in? diam <sup>r</sup> bears S. 83. E. 10. links
56. 28	W Oak 24 in? diam <sup>r</sup>
71. 62	Birch 20 in? diam <sup>r</sup>
79. 70	W. Oak 20 in? diam <sup>r</sup>
80. 63	Intersects W. boundary of this Range 11. 08 links S. of Benton's Corner. Put Corner to Sec. 7. & 18. T 4. S. Co. 1. M. A W. Oak 14 in? diam <sup>r</sup> bears S. 56. E. 38. links A Sugar tree 10 in? diam <sup>r</sup> bears N. 62. W. 8. This mile ridge land midling soil - timber - Birch. Oak. Sugar tree. &c.

North	Between Sec. 7. & 8. T 4. S. Co. 1. M.
11. 20	A W. Oak 15 in? diam <sup>r</sup>
40. 00	Put Quarter Sec. post a Birch 14 in? diam <sup>r</sup> bears S. 31. W. 34 links. A Birch 12 in? diam <sup>r</sup> N. 20. E. 4. lks.
60. 32	Sugar tree 18 in? diam <sup>r</sup>
67. 60	Sugar tree 14 in? diam <sup>r</sup>
80. 00	Intersects at temporary post. Put Corner to Sec. 5. 6. 7. 8. T. 4. S. Co. 1. M. a Sugar 22. in? diam <sup>r</sup> bears N. 46. E. 17. links. A Birch 15 in? diam <sup>r</sup> bears S. 7. W. 38. links. This mile Birch Sugar tree & Oak timbered ridges. Stony soil.

West	Between Sec. 6. & 7. T 4. S. Co. 1. M.
19. 00	W. Oak 18 in? diam <sup>r</sup>
22. 64	Sugar tree 16 in? diam <sup>r</sup>
40. 00	Put Quarter Sec. post a Sugar tree 30 in? diam <sup>r</sup> N. 64. E. 32. A Birch 14 in? diam <sup>r</sup> S. 26. W. 44 links
49. 50	Brook 20 links wide, Course S.
54. 60	High ridge of rocks
73. 78	Sum 14. in? diam <sup>r</sup>
80. 42.	Intersects W. boundary of this range 9. 78 links S. of

Bentons Corner., Out post Corner of Sec? 6. & 7. T. 4. G. R. 1. M.  
 a W. Oak 12 in? diam? bears N. 35. E. 21. a W. Oak 14 in?  
 diam? S. 25 E. 29 link. This mile high hills. rocky  
 Timber. Oak. Birch. Gum. Dogwood. &c.

North Between Sec? 5. & 6. T. 4. G. R. 1. M.  
 5. 80 Sugar tree 16 in? diam?  
 12. 00 Rocky Drain Course N. M.  
 28. 10 B. Oak 24 in? diam?  
 34. 60 B. Oak 24 in? diam?  
 40. 00 Put Quarter Sec. post a W. Oak 18 in? diam? bears  
 N. 42. E. 11. a W. Oak 16 in? diam? S. 34. N. 21. links.  
 45. 42 W. Oak 18 in? diam?  
 54. 05 W Oak 18 in? diam?  
 67. 50 Brook 10 links wide, Course N. high rocks.  
 89. 64 Intersects N. boundary of this Town at Sec. Corner. for  
 T. 3. which is Corner of Sec? 5. & 6. T. 4. G. R. 1. M.  
 This mile poor Oak timber & ridges some Birch, Sugar,  
 & Sycple. many ledges of Rocks. Oct 2<sup>nd</sup> 18. 05.

Out Quarter Sec. post on N. boundary of Sec. 4. T. 4.  
 G. R. 1. M. 100 links N. of Quarter Sec. post for T. 3.  
 a W Oak 12 in? diam? N. 50. E. 8. links. a W. Oak 12  
 in? diam? bears S. 58. N. 9. links.

East True line between Sec? 5. & 8. T. 4. G. R. 1. M.  
 40. 00 Put Quarter Sec post on true line. a Gum 14 in?  
 diam? N. 70. E. 18. links a Sycple 24 in? diam?  
 bears S. 37. N. 17 links  
 80. 00 Sec. Corner.

East True line between Sec? 1. & 9. T. 4. G. R. 1. M.  
 40. 12 Put Quarter Sec. post on true line. a W. Oak 12 in?  
 diam? bears S. 58. E. 29 links a Gum 12 in? diam?  
 bears N. 39. E. 30. links  
 80. 24 To Sec. Corner.

T. No 4. S. Co. No 1. W. 2<sup>nd</sup> Mer

East	True line between Sec. 3. & 10. T. 4. S. Co. 1. W.
39. 90	Put Quarter Sec post on true line a W. Oak 16 in <sup>d</sup> diam <sup>r</sup> bears N. 50. W. 19. links a W. Oak 12 in <sup>d</sup> diam <sup>r</sup> bears S. 39. E. 19 links.
79. 80	Sec. Corner,
East	True line between Sec. 2. & 11. T. 4. S. Co. 1. W.
40. 15	Put Quarter Sec. post on true line. a B. Oak 30 in <sup>d</sup> diam <sup>r</sup> bears N. 51. E. 25. a W. Ash 12 in <sup>d</sup> diam <sup>r</sup> bears S. 30. W. 37. links
80. 30	Sec. Corner.
North	Between Sec. 2. & 3. T. 4. S. Co. 1. W.
4. 82	W. Oak 18 in <sup>d</sup> diam <sup>r</sup>
12. 90	W. Oak 24 in <sup>d</sup> diam <sup>r</sup>
37. 50	Drain Course N. E.
40. 00	Put Quarter Sec post a W. Oak 18 in <sup>d</sup> diam <sup>r</sup> bears N. 62 W. 16. lks. a W Oak 14 in <sup>d</sup> diam <sup>r</sup> bears S. 84. E. 31. lks
47. 14	Hickory 14 in <sup>d</sup> diam <sup>r</sup>
57. 60	Sugar 18 in <sup>d</sup> diam <sup>r</sup>
64. 75	W. Ash 24 in <sup>d</sup> diam <sup>r</sup>
87. 00	Creek 160 links wide Course. N.
88. 55	Intersects N. boundary of this Town 10 links E. of Sec. Corner, so near that I let the Sec Corner for T. 3. be Sec. Corner of Sec. 2. & 3. T. 4. S. Co. 1. W.
	This mile poor stoney hills. Oak & Birch, timber
North	Between Sec. 2. & 1. T. 4. S. Co. 1. W.
13. 94	B. Oak 28 in <sup>d</sup> diam <sup>r</sup>
26. 55	W Oak 18 in <sup>d</sup> diam <sup>r</sup>
40. 00	Quarter Sec post. a Cherry 16 in <sup>d</sup> diam <sup>r</sup> bears S. 12. E. 27. links B Oak 40 in <sup>d</sup> diam <sup>r</sup> N. 54. W. 29. lks
48. 36	Birch 16 in <sup>d</sup> diam <sup>r</sup>
72. 60	Sugar tree 14 in <sup>d</sup> diam <sup>r</sup>
85. 00	Creek. Course N. W.
88. 50	Intersects N. boundary of this Town 15 links W.

T. No 4. S. R. No 1. M. 2<sup>nd</sup> Mer.

of Sec. which is Corner of Sec. 1. & 2. T. 3. S. R. 1. M.  
This mile B. Oak, Sugar, Honey, middling Soil in Corn etc.

North Random between Sec. 3. & 4. T. 4. S. R. 1. M.  
4. 00 B. Oak 24 in. diam.  
24. 95 W. Oak 26 in. diam.  
36. 50 Brook 6 links wide Course N. E.  
39. 50 W. Oak 14 in. diam.  
40. 00 Put Quarter Sec post A W. Oak 18 in. diam. bears S.  
S. E. 31. links A W. Oak 16 in. diam. bears N. 29. W. 34. links  
44. 25 W. Oak 12 in. diam.  
53. 68 Hickory 12 in. diam.  
79. 00 Brook 8 links wide Course E.  
82. 50 Brook 8 links wide Course S. E.  
88. 65 W. Oak 24 in. diam.  
89. 15 Intersects N. boundary of this Town at Corner of Sec.  
33. & 34. T. 3. S. R. 1. M. which is Corner of Sec. 3 & 4  
T. 4. S. R. 1. M. This mile poor. W. Oak timber, etc.  
Stoney ridges. Dogwood Oak & Hickory undergrowth

All the Quarter Sec. posts for T. 3. but 2 are  
Quarter Sec. posts for T. 4. S. R. 1. M.  
Oct. 3<sup>rd</sup> 18. 05. Surveyed by E. Buckingham

West Between Sec. 27. & 34. T. 4. S. R. 1. M.  
11. 00 Brook 8 links wide, Course S. E.  
16. 18 A W. Oak 24 in. diam.  
40. 00 Put Quarter Sec. post A W. Oak 18 in. diam.  
N. 32. W. 16. links. A W. Oak 15 in. diam. bears  
S. 59. E. 41. links dist.  
59. 27 A W. Oak 22 in. diam.  
80. 00 Set post. This mile Oak timbered ridges. Dogwood  
undergrowth. Poor Stoney Soil.



I certify that the foregoing transcript of the field  
notes of Township No. 4 South of Range No.  
1 West 2nd Mer. Indiana, has been compared  
with the Original notes in this Office, and found  
to be correct.

Surveyor General's Office,  
Cincinnati, Aug. 8. 1839

W. P. Rains  
Lieut. Col.